



Delivery electric bike



Delivery01



- Motor: 500W Bafang hub motor
- Battery: 48V 16AH lithium battery(Samsung cells)
- Charger: 48V 2A 110-220V
- Display: LCD display
- Light: LED Light for Front
- Tire: 26"*2.3 tire
- Brake: Tecktro disc brake for both
- Derailleur: 7 speed shimano gear shift
- Front fork: MOZO Aluminum alloy Hydraulic suspension
- Handle bar and stem: Aluminum alloy
- Transmission: KMC
- Max speed: 25-32km/H
- Driving mode: PAS&Throttle
- Driving distance: Approx 50-70km
- Packing size: 178*24*84cm
- N.W./G.W.: 55KGS/60KGS
- Loading capacity: 200kgs
- Container loads: 77pcs/20'GP; 188pcs/40'HQ

Delivery C



- Motor: 500W Bafang motor
- Battery: 48V 13A lithium battery
- Charger: 48V 2A 110-220V
- Display: LCD display
- Light: LED Light for Front
- Tire: Front 20"*4.0 Kenda tire and rear 24"*4.0 Kenda tire
- Brake: Disc brake for both
- Derailleur: Shimano 7 speed gear shift
- Front fork: Aluminum alloy hydraulic suspension
- Handle bar and stem: Aluminum alloy
- Max speed: 25km-32km/H
- Driving mode: PAS&Throttle
- Driving distance: Approx 45-70km
- Packing size: 178*90*75cm
- N.W./G.W.: 55KGS/60KGS
- Loading capacity: 200kgs
- Container loads: 76pcs/20'GP; 160pcs/40'HQ

Delivery S



- Motor: 500W integrated wheel hub motor
- Battery: 48V 13A double lithium battery
- Charger: 48V 2A 110-220V
- USB charging port for mobile device
- Display: LCD display
- Light: LED Light for Front
- Tire: 20"*4.0 tire
- Brake: Disc brake for both
- Deraileur: Shimano 7 speed gear shift
- Front fork: Aluminum alloy hydraulic suspension
- Handle bar and stem: Aluminum alloy
- Max speed: 25km-32km/H
- Driving mode: PAS&Throttle
- Driving distance: Approx 90-140km
- Packing size: 200*28*75cm
- N.W./G.W.: 45KGS/50KGS
- Loading capacity: 200kgs
- Container loads: 70pcs/20'GP; 170pcs/40'HQ

T1



- Motor: 400W/800W hub motor
- Battery: 48V 20A 60V 20A lithium battery
- Charger: 48V 3A 60V 20A 110-220V
- Display: LCD display
- Light: LED Light for Front
- Tire: 10"*2.75 tire
- Brake: Drum brake for front and disc brake for rear
- Derailleur: Shimano inner 3 speed gear shift
- Front fork: Hydraulic suspension
- Rear suspension: Hydraulic suspension
- Remote control: Yes
- Max speed: 38km/H
- Driving mode: PAS&Throttle
- Driving distance: Approx 90km
- Packing size: 178*90*75cm
- N.W./G.W.: 45KGS/51KGS
- Loading capacity: 200kgs
- Container loads: 70pcs/20'GP; 170pcs/40'HQ