

Electric scooter

www.hangpaiebike.com

-

Blue fairy


<image>

- Motor: 500W hub motor
- Battery: 48V 20AH lithium battery removable
- Charger: 48V 3A 110-220V
- USB charging port for mobile device
- Display: LCD display
- Light: LED Light for Front and for rear
- Tire: 16"*2.5 KENDA Tire
- Brake: Disc brake for front & Rear drum brake
- Alarm system: Yes
- Front fork: Hydraulic suspension
- Rear suspension: Hydraulic & Spring suspension
- Max speed: 25km-32km/H
- Driving mode: PAS&Throttle
- Driving distance: Approx 45-70km
- Packing size: 150*38*80cm
- N.W./G.W.: 55KGS/61KGS
- Loading capacity: 150kgs
- Container loads: 60pcs/20'GP; 130pcs/40'HQ





- Motor: 450W hub motor
- Battery: 48V 12AH lead acid battery or lithium battery optional (removable)
- Controller: 6 tube brushless controller
- Charger: 48V 2A 110-220V
- USB charging port for mobile device
- Display: LCD display
- Light: LED Light for Front and for rear
- Tire: 18"*2.5 KENDA Tire
- Brake: Disc brake for front & Rear
- Alarm system: Yes
- Front fork: Hydraulic suspension
- Rear suspension: Hydraulic & spring suspension
- Max speed: 25km-32km/H(can be faster without limit)
- Driving mode: PAS&Throttle
- Driving distance: Approx 45km
- Packing size: 148*31*86cm
- N.W./G.W.: 55KGS/60KGS
- Loading capacity: 150kgs
- Container loads: 68pcs/20'GP; 178pcs/40'HQ



- Motor: 500W/1000W hub motor
- Battery: 48V 20AH lead acid and lithium battery removable optional
- Charger: 48V 2A 110-220V
- USB charging port for mobile device
- Display: LCD display
- Light: LED Light for Front and battery light for rear
- Tire: 16"*3.0 KENDA Tire
- Brake: Disc brake for front & Rear
- Alarm system: Yes
- Front fork: Hydraulic suspension
- Rear suspension: Hydraulic&Spring suspension
- Max speed: 25km-32km/H
- Driving mode: PAS&Throttle
- Driving distance: Approx 45-70km
- Packing size: 165*45*86cm
- N.W./G.W.: 84KGS/94KGS
- Loading capacity: 150kgs
- Container loads: 41pcs/20'GP; 108pcs/40'HQ





- Motor: 500W hub motor
- Battery: 48V 20AH lead acid battery or lithium battery
- Controller: 12 tube brushless controller
- Charger: 48V 3A 110-220V
- USB charging port for mobile device
- Display: LCD display
- Light: LED Light for Front and for rear
- Tire: 18"*2.5 KENDA Tire
- Brake: Disc brake for front & Rear drum brake
- Alarm system: Yes
- Front fork: Hydraulic suspension
- Rear suspension: Spring suspension
- Max speed: 25km-32km/H
- Driving mode: PAS&Throttle
- Driving distance: Approx 45-70km
- Packing size: 150*38*80cm
- N.W./G.W.: 55KGS/61KGS
- Loading capacity: 150kgs
- Container loads: 50pcs/20'GP; 125pcs/40'HQ



- Motor:500W hub motor
- Battery: 48V 20AH lithium battery (removable)
- Controller: 12 tube brushless controller
- Charger: 48V 3A 110-220V
- USB charging port for mobile device
- Display: LCD display
- Light: LED Light for Front and for rear
- Tire: 10"*3.0 KENDA Tire
- Brake: Disc brake for front & Rear drum brake
- Alarm system: Yes
- Front fork: Hydraulic suspension
- Rear suspension: Hydraulic & spring suspension
- Max speed:25km-32km/H
- Driving mode: PAS&Throttle
- Driving distance: approx 45-70km
- Packing size: 150*38*80cm
- N.W./G.W.:65KGS/70KGS
- Loading capacity: 150kgs
- Container loads: 60pcs/20'GP; 130pcs/40'HQ







- Motor: 500W hub motor
- Battery: 48V 20AH lead acid battery or lithium battery optional (removable)
- Controller: 12 tube brushless controller
- Charger: 48V 3A 110-220V
- USB charging port for mobile device
- Display: LCD display
- Light: LED Light for Front and for rear
- Tire: 16"*3.0 KENDA Tire
- Brake: Disc brake for front & Rear
- Alarm system: Yes
- Front fork: Hydraulic suspension
- Rear suspension: Hydraulic & spring suspension
- Max speed: 25km-32km/H
- Driving mode: PAS&Throttle
- Driving distance: Approx 45km
- Packing size: 162*45*86cm
- N.W./G.W.: 85KGS/90KGS
- Loading capacity: 150kgs
- Container loads: 41pcs/20'GP; 108pcs/40'HQ