



Folding electric bike

Little Swan



- Frame: Aluminum alloy
- Motor: 500W hub motor
- Battery: 48V 10.4Ah lithium battery
- Charger: 48V 2A 110-220V
- Display: LCD display
- Light: LED Light for Front&Rear battery light
- Tire: 20" × 1.75 Tire
- Brake: Disc brake for front & Rear
- Derailleurs: Seven speed Shimano gear shift
- Front fork: Aluminum alloy
- Seat post: Aluminum alloy with suspension
- Handle bar and stem: Aluminum alloy
- Max speed: 25km-32km/H
- Driving mode: PAS&Throttle
- Driving distance: Approx 45-70km
- Packing size: 135 × 25 × 65cm
- N.W./G.W.: 30KGS/35KGS
- Loading capacity: 120kgs
- Container loads: 100pcs/20'GP; 260pcs/40'HQ

HP-E052



- Frame: Aluminum alloy
- Motor: 250W hub motor
- Battery: 36V, 12AH lithium battery
- Charger: 36V 2A 110-220V
- Display: LED display
- Light: LED Light for Front & Rear battery light
- Tire: 20" * 1.75 Tire
- Brake: V brake for front & Rear
- Derailleurs: Seven speed Shimano gear shift
- Front fork: Aluminum alloy with hydraulic suspension
- Seat post: Aluminum alloy with suspension
- Handle bar and stem: Aluminum alloy
- Max speed: 25km-32km/H
- Driving mode: PAS & Throttle
- Driving distance: Approx 45km
- Packing size: 147*24*76cm
- N.W./G.W.: 25KGS/30KGS
- Loading capacity: 120kgs
- Container loads: 100pcs/20'GP; 260pcs/40'HQ

HP-E053



- Frame: Aluminum alloy
- Motor: 250W hub motor
- Battery: 36V, 7.8AH lithium battery
- Charger: 36V 2A 110-220V
- Display: LCD display
- Light: LED Light for Front & Rear battery light
- Tire: 20" * 1.75 Tire
- Brake: Disc brake for front & Rear
- Derailleurs: Seven speed Shimano gear shift
- Front fork: Aluminum alloy with hydraulic suspension
- Seat post: Aluminum alloy
- Handle bar and stem: Aluminum alloy
- Max speed: 25km-32km/H
- Driving mode: PAS & Throttle
- Driving distance: Approx 45km
- Packing size: 147*24*76cm
- N.W./G.W.: 25KGS/30KGS
- Loading capacity: 120kgs
- Container loads: 100pcs/20'GP; 260pcs/40'HQ

HP-E002



- Frame: Aluminum alloy
- Motor: 250W hub motor
- Battery: 36V, 10AH lithium battery
- Charger: 36V 2A 110-220V
- Display: LED display
- Light: LED Light for Front & Rear battery light
- Tire: 20" * 1.75 Tire
- Brake: Disc brake for front & Rear
- Derailleurs: Seven speed Shimano gear shift
- Front fork: Aluminum alloy with hydraulic suspension
- Seat post: Aluminum alloy
- Handle bar and stem: Aluminum alloy
- Max speed: 25km-32km/H
- Driving mode: PAS & Throttle
- Driving distance: Approx 45km
- Packing size: 147*24*76cm
- N.W./G.W.: 25KGS/30KGS
- Loading capacity: 120kgs
- Container loads: 100pcs/20'GP; 260pcs/40'HQ