



Mountain electric bike

HP-04



- Motor: 500W motor
- Battery: 48V 13AH lithium battery
- Charger: 48V 2A 110-220V
- Display: LCD display
- Light: LED Light for Front
- Tire: 700Cx40C Tire
- Brake: Disc brake for front & Rear
- Derailleurs: Seven speed Shimano gear shift
- Front fork: Aluminum alloy with hydraulic suspension
- Handle bar and stem: Aluminum alloy
- Max speed: 25km-32km/H
- Driving mode: PAS & Throttle
- Driving distance: approx 45-70km
- Packing size: 173x26x90cm
- N.W./G.W.: 25KGS/30KGS
- Loading capacity: 120kgs
- Container loads: 70pcs/20'GP; 170pcs/40'HQ

HP-E004



- Motor:500W hub motor
- Battery: 48V 13AH lithium battery
- Charger: 48V 2A 110-220V
- Display: LCD display
- Light: LED Light for Front
- Tire: 26"x1.95 Tire
- Brake: Disc brake for front & Rear
- Derailleurs: Seven speed Shimano gear shift
- Front fork: Aluminum alloy with hydraulic suspension
- Handle bar and stem: Aluminum alloy
- Max speed:25km-32km/H
- Driving mode: PAS&Throttle
- Driving distance: approx 45-70km
- Packing size: 155x25x78cm
- N.W./G.W.:25KGS/30KGS
- Loading capacity: 120kgs
- Container loads: 93pcs/20'GP; 226pcs/40'HQ

HP-E004Plus



- Motor: 500W integrated wheel motor
- Battery: 48V 13AH lithium battery
- Charger: 48V 2A 110-220V
- Display: LCD display
- Light: LED Light for Front
- Tire: 26"x1.95 Tire
- Brake: Disc brake for front & Rear
- Derailleurs: Seven speed Shimano gear shift
- Front fork: Aluminum alloy with hydraulic suspension
- Handle bar and stem: Aluminum alloy
- Max speed: 25km-32km/H
- Driving mode: PAS & Throttle
- Driving distance: approx 45-70km
- Packing size: 155x25x78cm
- N.W./G.W.: 25KGS/30KGS
- Loading capacity: 120kgs
- Container loads: 93pcs/20'GP; 226pcs/40'HQ